

An aerial view of a large-scale irrigation system with numerous pivot wheels and long, straight water lines stretching across a green agricultural field.

# The California Central Valley Groundwater-Surface Water Simulation Model

## Land Surface Process

CWEMF C2VSim Workshop

A large, dark bird, possibly a crane or heron, is captured in mid-flight against a background of tall, green grass. The bird's wings are fully extended, and its long neck is stretched forward.

Charles Brush

Modeling Support Branch, Bay-Delta Office

California Department of Water Resources, Sacramento, CA





# Outline

IWFM Land Surface Process

Land and Water Use Budget


Root Zone Budget

C2VSim Results


# IWFM Water Balance Diagram

## Simulated Annual Water Budget


Average Flows for water years 2000-2009  
[Million Acre-Feet/Year]



# Land Surface Process




# Land Surface Process



# Land Surface & Root Zone Processes

- Precipitation and irrigation less direct runoff and return flow is the inflow into root zone
- Deep percolation from root zone is the inflow into unsaturated zone
- Net deep percolation from unsaturated zone is the recharge to groundwater
- 4 land-use types considered:
  - agricultural, urban, native
  - vegetation, riparian vegetation
- Unsaturated zone layer thicknesses are time-dependent; conservation equations in unsaturated zone layers are solved iteratively



# Land Surface & Root Zone Processes

- Governing conservation equation for the root zone:

$$\theta_r^{t+1} = \theta_r^t + \left[ (P - S_r) + (A_W - R_f) - ET_{cadj} - D_p \right] \Delta t$$

- where  $\theta_r$  = soil moisture, (L);
- $P$  = precipitation, (L/T);
- $S_r$  = surface runoff from precipitation, (L/T);
- $A_W$  = applied water, (L/T);
- $R_f$  = return flow of applied water, (L/T);
- $ET_{cadj}$  = adjusted evapotranspiration, (L/T);
- $D_p$  = deep percolation, (L/T);
- $\Delta t$  = time step length, (T);
- $t$  = time step counter (dimensionless).



# C2VSim Land Surface Process

- 21 Subregions
  - Annual crop acreages
  - Monthly evapotranspiration rates
  - Monthly urban demand
  - Monthly surface water diversions (Ag & Urban)
  - Monthly groundwater pumping (Ag & Urban)
  - Regional water re-use factors
- 1392 Elements
  - Annual land use distribution
  - Monthly precipitation






# C2VSim Land Surface Process

## Input Files:

- Precipitation
- Land Use
- Evapotranspiration Rates
- Agricultural Crop Acreage
- Agricultural Crop Demands
- Urban Demands
- Urban Specification
- Re-Use Factor


# Land Surface & Root Zone Processes



# Land Surface & Root Zone Processes


## Step 1: Compute rainfall runoff and infiltration of precipitation

- Modified SCS Curve Number method (retention parameter,  $S$ , decreases as moisture goes above half of field capacity)



# Land Surface & Root Zone Processes


**Step 2: Apply irrigation and initially assume all infiltrates**



# Land Surface & Root Zone Processes

## Step 3: Compute evapotranspiration (FAO Paper 56, 1998)

- Same as potential ET when moisture is at or above half of field capacity
- Decreases linearly when moisture is below half of field capacity




# Land Surface & Root Zone Processes

**Step 4: Compute deep percolation if moisture is above field capacity**

**Expressed using one of the methods below specified by user**


- A fraction of moisture that is above field capacity
- Physically-based method using hydraulic conductivity;




$$D_p = K_s \left( \frac{\theta_r}{\eta_T} \right)^4$$

# Land Surface & Root Zone Processes

**Step 5: Compute return flow and update infiltration of applied water**



# Schematic Representation of Flow Components



$P$  = precipitation

$A_w$  = applied water

$R_p$  = direct runoff

$U$  = re-use

$ET$  = evapotranspiration


$D_r$  = drain from ponds

$D$  = deep percolation

$R_f$  = net return flow



# Soil Moisture Parameters



```

C*****
C
C          PARAMETERS FOR SOIL MOISTURE ROUTING
C
C  The following lists the soil moisture and hydrologic properties for each hydrologic soil group
C
C-----
C
C  KUSAGE; Flag that specifies how the value entered for variable K will be interpreted.  Enter
C          0 : Values listed for K are the fraction of excess soil moisture that will become d
C          1 : Values listed for K are saturated hydraulic conductivity of soil
C
C  FACT;   Conversion factor for root zone hydraulic conductivity - It is used to convert only th
C  TUNIT;  Time unit of hydraulic conductivity.  This should be one of the units recognized by HE
C          * Note: If KUSAGE = 0, enter anything
C
C-----
C
C  VALUE          DESCRIPTION
C-----
C          0          / KUSAGE
C          1.0        / FACT
C          1mon       / TUNIT
C
C-----
C
C  IREGN;         Subregion number
C  FC ;           Field capacity; [L/L]
C  EF ;           Total porosity; [L/L]
C  K ;            Hydraulic conductivity of the root zone; [L/T]
C  CN ;           Curve number depending on the land use type:
C                 1-Agricultural ; 2-Urban ; 3-Native veg. ; 4-Riparian veg.
C                 (Reference: USDA, 1985)
C
C-----
C
C          SOIL GROUP A          SOIL GROUP B
C-----
C  IREGN  FC  EF  K  CN BY LAND  FC  EF  K  CN BY LAND
C          1  2  3  4          1  2  3  4
C-----
C  1  0.067  0.477  1.000  79.0  83.0  81.0  81.0  0.473  0.483  0.014  84.0  86.0  84.0  84.0
C  2  0.069  0.410  0.988  83.0  83.0  81.0  81.0  0.110  0.481  1.000  86.0  87.0  86.0  86.0
C  3  0.119  0.438  0.620  83.0  86.0  84.0  84.0  0.033  0.471  0.632  86.0  87.0  86.0  86.0
C  4  0.121  0.428  1.000  83.0  86.0  84.0  84.0  0.286  0.473  0.857  86.0  87.0  86.0  86.0
C  5  0.194  0.440  0.764  83.0  85.0  84.0  84.0  0.380  0.390  0.050  86.0  87.0  86.0  86.0
C  6  0.164  0.429  1.000  83.0  86.0  84.0  84.0  0.040  0.400  0.654  86.0  87.0  86.0  86.0
C  7  0.045  0.440  0.938  83.0  85.0  84.0  84.0  0.178  0.480  0.980  86.0  87.0  86.0  86.0
C  8  0.048  0.438  0.969  83.0  86.0  84.0  84.0  0.010  0.456  0.817  86.0  87.0  86.0  86.0
C  9  0.010  0.444  0.992  86.0  87.0  86.0  84.0  0.010  0.462  0.931  87.0  90.0  89.0  84.0
C 10  0.037  0.438  0.947  87.0  90.0  89.0  89.0  0.018  0.481  0.689  90.0  92.0  90.0  90.0
C 11  0.080  0.439  0.984  86.0  87.0  86.0  86.0  0.180  0.459  0.234  87.0  90.0  89.0  89.0
C 12  0.352  0.422  1.000  86.0  89.0  86.0  86.0  0.457  0.500  0.336  89.0  91.0  90.0  90.0
C 13  0.124  0.451  1.000  86.0  89.0  86.0  86.0  0.200  0.257  0.031  89.0  91.0  90.0  90.0
C 14  0.081  0.440  1.000  89.0  91.0  90.0  90.0  0.088  0.481  0.252  91.0  93.0  92.0  92.0
C 15  0.108  0.440  0.976  89.0  91.0  90.0  90.0  0.177  0.480  0.125  91.0  93.0  92.0  92.0
C 16  0.095  0.435  1.000  86.0  89.0  86.0  86.0  0.241  0.450  0.123  89.0  91.0  90.0  90.0
    
```

# C2VSim Land Use File

```
C ITLN ; Time
C IE ; Element number
C ALAND; Area (or fraction of area) corresponding to each land use type
C      over an element; [L^2] or [L/L]
C
C-----
C
C                      ALAND
C-----
C ITLN      IE      Agricultural      Urban      Native veg.      Riparian veg.
C-----
09/30/1922_24:00      1      812.39      956.00      3874.25      0.00
                        2      0.00      0.00      5625.63      0.00
                        3      0.00      0.00      12265.58     0.00
                        4      0.00      0.00      4421.92     0.00
                        5      0.00      0.00      5855.80     0.00
                        6      0.00      0.00      6928.58     0.00
                        7      1397.53     0.00      7923.39     0.00
                        8      1647.31     0.00      5281.87     0.00
                        9      0.00      0.00      8373.83     0.00
                       10     0.00      0.00      11541.16    0.00
                       11     0.00      0.00      8469.64     0.00
                       12     264.51     0.00      7137.77     0.00
                       13     1044.74     0.00      2102.55     0.00
                       14     594.70     0.00      1863.60     0.00
                       15     0.00      0.00      6973.75     0.00
                       16     0.00      0.00      8585.76     0.00
                       17     0.00      0.00      9435.92     0.00
                       18     0.00      0.00      9088.77     0.00
                       19     992.13     0.00      8331.88     0.00
                       20     2829.00     0.00      5748.34     0.00
                       21     130.90     0.00      4985.11     0.00
                       22     0.00      0.00      2461.97     0.00
                       23     0.00      0.00      7223.77     0.00
                       24     0.00      0.00      2689.48     0.00
                       25     93.29      0.00      6549.50     0.00
                       26     1985.93     0.00      4354.26     0.00
                       27     2717.61     0.00      7035.07     0.00
```

# C2VSim Crop Acreage File

ID	CODE	Description
1	PA	PASTURE
2	AL	ALFALFA
3	SB	SUGAR BEET
4	FI	FIELD CROPS
5	RI	RICE
6	TR	TRUCK CROPS
7	TO	TOMATO
8	TH	TOMATO (HAND PICKED)
9	TM	TOMATO (MACHINE PICKED)
10	OR	ORCHARD
11	GR	GRAINS
12	VI	VINEYARD
13	CO	COTTON
14	SO	CITRUS & OLIVES
15	UR	URBAN
16	NV	NATIVE VEGETATION
17	RV	RIPARIAN VEGETATION

C	ITCR	IR	ACROP (1)	ACROP (2)	ACROP (3)	....	ACROP (15)	ACROP (16)	ACROP (17)
C	09/30/1922_24:00	1	12692	765	0	393	0	135	0
C		2	22800	11100	0	2700	0	500	0
C		3	22400	8600	0	6200	40000	3400	0
C		4	5100	2600	0	31900	22000	3600	0
C		5	27200	15800	600	11400	31800	4400	0
C		6	6200	5300	600	3400	6000	3900	0
C		7	19800	5200	1200	8600	1200	2700	0
C		8	40000	7800	500	10300	3100	9500	0
C		9	23200	40100	19500	79900	2900	121500	0
C		10	8937	44348	1012	51482	5844	15605	0
C		11	25709	11311	163	27674	3708	4400	0
C		12	12672	16298	33	39301	22	3217	0
C		13	31982	61743	794	35543	5826	6980	0
C		14	741	27419	3281	56059	637	11196	0
C		15	13456	94550	2300	77785	1890	1056	0
C		16	16986	9140	96	11873	0	1564	0
C		17	9604	7972	285	12821	0	2208	0
C		18	21473	54838	990	84272	1869	2256	0
C		19	2621	43917	1634	30845	223	3960	0
C		20	643	11943	180	8537	1	2272	0
C		21	4376	42223	1233	23837	381	15484	0
C	09/30/1923_24:00	1	12692	765	0	393	0	135	0
C		2	22300	10900	0	2700	0	500	0
C		3	22400	8600	0	6200	40000	3400	0
C		4	5200	2600	0	32600	22000	3700	0
C		5	27600	15900	700	11600	31800	4400	0
C		6	6600	5700	600	3600	7000	4300	0
C		7	20500	5300	1200	8800	1200	2800	0
C		8	41800	8100	600	10800	3200	9700	0
C		9	24000	40100	20900	80700	2900	109100	0
C		10	9016	44780	1012	50646	5427	16278	0
C		11	25936	11421	163	27225	3443	4590	0
C		12	12784	16457	33	38663	20	3355	0
C		13	32264	62343	794	34966	5410	7281	0
C		14	744	27550	3281	56279	637	11224	0
C		15	13514	95003	2300	78090	1890	1059	0
C		16	17059	9183	96	11919	0	1568	0
C		17	9645	8010	285	12872	0	2214	0
C		18	21565	55101	990	84603	1869	2262	0
C		19	2633	44127	1634	30966	223	3970	0
C		20	646	12000	180	8571	1	2278	0
C		21	4395	42426	1233	23931	381	15523	0
C	09/30/1924_24:00	1	12692	765	0	393	0	135	0
C		2	21900	10700	0	2600	0	500	0
C		3	25900	9900	0	7100	31000	3900	0
C		4	4700	2400	0	29400	29000	3300	0
C		5	29300	16900	700	12300	25200	4800	0
C		6	7100	6100	700	3900	7000	4500	0
C		7	21500	5700	1300	9300	800	2900	0


# C2VSim Precipitation File

C	Time	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
10/31/1921_24:00	1.34	1.34	1.32	1.27	1.34	1.31	1.30	1.34	1.29	1.07	1.27	1.27	1.33	1.34	1.27	1.03	
11/30/1921_24:00	3.64	3.62	3.59	3.49	3.62	3.51	3.56	3.62	3.41	3.07	3.42	3.46	3.57	3.59	3.33	3.06	
12/31/1921_24:00	8.15	8.14	7.86	7.49	8.08	7.43	8.01	7.97	7.14	6.40	7.21	7.77	7.95	7.72	6.96	6.28	
01/31/1922_24:00	1.32	1.46	1.62	1.80	1.22	1.40	1.27	1.11	1.34	1.61	1.73	1.29	1.11	1.05	1.27	1.54	
02/28/1922_24:00	7.61	7.95	7.98	8.02	7.25	7.23	7.09	6.63	6.66	6.56	7.30	6.81	6.43	6.26	6.16	5.95	
03/31/1922_24:00	4.33	4.39	4.31	4.28	4.22	4.03	4.09	4.06	3.73	3.48	3.85	3.86	3.92	3.84	3.45	3.15	
04/30/1922_24:00	0.94	0.91	0.92	0.91	0.94	0.93	0.93	0.94	0.92	0.79	0.83	0.89	0.94	0.94	0.89	0.73	
05/31/1922_24:00	2.20	2.18	2.18	2.09	2.22	2.19	2.18	2.26	2.19	1.80	1.96	2.12	2.24	2.28	2.12	1.77	
06/30/1922_24:00	0.71	0.72	0.67	0.62	0.76	0.58	0.74	0.82	0.65	0.36	0.54	0.70	0.84	0.86	0.62	0.34	
07/31/1922_24:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
08/31/1922_24:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
09/30/1922_24:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
10/31/1922_24:00	3.44	3.45	3.39	3.23	3.42	3.28	3.39	3.40	3.15	2.85	3.16	3.27	3.37	3.32	3.01	2.74	
11/30/1922_24:00	3.54	3.64	3.74	3.79	3.47	3.51	3.41	3.22	3.22	3.40	3.66	3.39	3.13	3.00	2.95	3.16	
12/31/1922_24:00	8.44	8.84	8.63	8.94	8.22	8.27	8.01	7.75	7.82	7.80	8.65	7.88	7.64	7.55	7.37	7.16	
01/31/1923_24:00	4.06	4.09	4.02	3.90	4.05	3.95	3.99	4.01	3.83	3.53	3.79	3.85	3.93	3.94	3.61	3.37	
02/28/1923_24:00	1.14	1.14	1.14	1.22	1.11	1.11	1.12	1.08	1.08	1.11	1.14	1.11	1.07	1.04	1.03	1.06	
03/31/1923_24:00	0.57	0.58	0.61	0.61	0.64	0.66	0.64	0.73	0.69	0.53	0.44	0.67	0.75	0.76	0.69	0.52	
04/30/1923_24:00	6.06	6.19	6.12	6.05	5.88	5.64	5.82	5.50	5.30	5.02	6.12	5.66	5.41	5.24	4.89	4.70	
05/31/1923_24:00	0.73	0.74	0.71	0.72	0.70	0.68	0.70	0.65	0.65	0.66	0.68	0.67	0.64	0.63	0.61	0.62	
06/30/1923_24:00	2.03	2.01	1.94	1.74	1.96	1.82	1.96	1.91	1.71	1.35	1.97	1.92	1.88	1.86	1.68	1.31	
07/31/1923_24:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
08/31/1923_24:00	0.12	0.12	0.13	0.13	0.13	0.16	0.14	0.16	0.14	0.12	0.15	0.16	0.16	0.16	0.14	0.12	
09/30/1923_24:00	2.99	2.95	2.93	2.84	3.04	2.98	2.84	3.04	2.92	2.59	2.41	2.56	2.80	3.02	2.87	2.58	
10/31/1923_24:00	1.59	1.61	1.59	1.54	1.62	1.60	1.58	1.64	1.59	1.36	1.48	1.54	1.62	1.65	1.56	1.27	
11/30/1923_24:00	0.79	0.79	0.82	0.86	0.76	0.78	0.75	0.72	0.73	0.75	0.85	0.75	0.69	0.67	0.66	0.71	
12/31/1923_24:00	2.08	2.15	2.23	2.30	1.99	2.07	2.03	1.86	1.86	1.89	2.14	1.94	1.79	1.74	1.72	1.75	
01/31/1924_24:00	3.01	3.10	3.10	3.22	3.00	3.03	3.02	2.97	2.99	3.10	3.34	3.08	2.99	2.93	2.92	2.99	
02/29/1924_24:00	4.09	4.06	3.94	3.80	3.95	3.74	3.89	3.77	3.55	3.31	3.80	3.72	3.67	3.61	3.44	3.16	
03/31/1924_24:00	1.44	1.48	1.56	1.68	1.33	1.39	1.34	1.19	1.28	1.52	1.60	1.30	1.16	1.11	1.21	1.43	
04/30/1924_24:00	0.28	0.29	0.32	0.34	0.28	0.30	0.28	0.25	0.28	0.37	0.36	0.30	0.25	0.24	0.28	0.36	
05/31/1924_24:00	0.04	0.04	0.03	0.04	0.04	0.03	0.04	0.04	0.04	0.01	0.04	0.04	0.04	0.04	0.03	0.00	
06/30/1924_24:00	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.00	0.02	0.04	0.04	0.02	0.00	0.00	0.01	0.04	
07/31/1924_24:00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
08/31/1924_24:00	0.28	0.28	0.27	0.25	0.25	0.25	0.27	0.24	0.24	0.20	0.31	0.27	0.24	0.24	0.22	0.20	
09/30/1924_24:00	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.00	0.02	0.04	0.04	0.01	0.00	0.00	0.01	0.04	

# Agricultural Demand Computation

During an irrigation or pre-irrigation period, if the moisture content is below a user-specified threshold, the governing conservation equation is used to compute the value of  $A_w$  that will raise the moisture to field capacity:


$$A_w = \begin{cases} \frac{\theta_{fc}^{t+1} - \theta^t - \Delta\theta_a}{\Delta t} - P + R_p + D_{fc} + ET_{pot} & \text{if } \theta^t < \theta_{min}^{t+1} \\ 1 - \left( f_{R_{f,ini}} - f_U \right) & \text{if } \theta^t \geq \theta_{min}^{t+1} \\ 0 & \end{cases}$$



# Evapotranspiration


## Assumptions:

- $p$  is taken as 0.5
- $ET_{pot}$  can be taken as  $ET_c$ ,  $ET_{cadj}$  or whatever is specified by the user



# Crop Demand Varies Monthly

$$\text{Crop ET} = K_c * \text{ET}_o$$








# A Need for Demand Computation

$$\theta_r^{t+1} = \theta_r^t + \left[ (P - S_r) + (A_W - R_f) - ET_{cadj} - D_p \right] \Delta t$$

- Routing of water through a developed basin requires the knowledge of applied water
- In California, groundwater pumping is generally neither measured nor regulated; i.e. total historical applied water is unknown
- Most major surface diversions are measured in California's Central Valley but their spatial allocation may be unknown
- For planning studies applied water is an unknown and has to be computed dynamically
- To address the uncertainties in historical and future water supplies and where these supplies were/will be used, a demand-supply balance is needed

# Agricultural Demand Computation

- Agricultural demand is the required amount of applied water in order to maintain optimum agricultural conditions
- At optimum agricultural conditions
  - 1) ET rates are at their potential levels for proper crop growth
  - 2) soil moisture loss as deep percolation and return flow is minimized
  - 3) minimum soil moisture requirement for each crop is met at all times



# Agricultural Demand Computation

- Use governing conservation equation to express the applied water that will satisfy the optimum agricultural conditions:

$$\theta_{\min} = \theta_r^t + \left[ (P - S_r) + CU_{AW} - ET_c \right] \Delta t$$

$$\Rightarrow CU_{AW} = \frac{\theta_{\min} - \theta_r^t}{\Delta t} - (P - S_r) + ET_c \geq 0$$

$$D_{ag} = \frac{CU_{AW}}{I_E}$$

where

$CU_{AW}$  = potential consumptive use of applied water assuming 100% irrigation efficiency, (L/T)

$I_E$  = irrigation efficiency, (dimensionless)


$D_{ag}$  = agricultural water demand, (L/T)

# C2VSim Crop Demands File

C	C		SMMIN(1)	SMMIN(2)	SMMIN(3)	...									
C	TIME	IR	CREFF(1)	CREFF(2)	CREFF(3)	...									
C			PA	AL	SB	FI	RI	TR	TO	TH	TM	OR	GR	VI	CO
	10/31/4000_24:00	1	0.50 0.69	0.44 0.73	0.40 0.73	0.17 0.00	0.08 0.00	0.22 0.00	0.13 0.00	0.13 0.00	0.13 0.00	0.44 0.75	0.17 0.00	0.40 0.76	0.17 0.00
		2	0.50 0.70	0.44 0.72	0.40 0.73	0.17 0.00	0.08 0.00	0.22 0.00	0.13 0.00	0.13 0.00	0.13 0.00	0.44 0.78	0.17 0.00	0.40 0.76	0.17 0.00
		3	0.50 0.69	0.44 0.71	0.40 0.71	0.17 0.00	0.08 0.00	0.22 0.00	0.13 0.00	0.13 0.00	0.13 0.00	0.44 0.80	0.17 0.00	0.40 0.76	0.17 0.00
		4	0.50 0.70	0.44 0.69	0.40 0.70	0.17 0.00	0.08 0.00	0.22 0.00	0.13 0.00	0.13 0.00	0.13 0.00	0.44 0.75	0.17 0.00	0.40 0.76	0.17 0.00
		5	0.50 0.66	0.44 0.69	0.40 0.68	0.17 0.00	0.08 0.00	0.22 0.00	0.13 0.00	0.13 0.00	0.13 0.00	0.44 0.72	0.17 0.00	0.40 0.76	0.17 0.00
		6	0.50 0.64	0.44 0.68	0.40 0.68	0.17 0.00	0.08 0.00	0.22 0.00	0.13 0.00	0.13 0.00	0.13 0.00	0.44 0.70	0.17 0.00	0.40 0.68	0.17 0.00
		7	0.50 0.64	0.44 0.68	0.40 0.68	0.17 0.00	0.08 0.00	0.22 0.00	0.13 0.00	0.13 0.00	0.13 0.00	0.44 0.70	0.17 0.00	0.40 0.68	0.17 0.00
		8	0.50 0.65	0.44 0.68	0.40 0.68	0.17 0.00	0.08 0.00	0.22 0.00	0.13 0.00	0.13 0.00	0.13 0.00	0.44 0.70	0.17 0.00	0.40 0.70	0.17 0.00
		9	0.50 0.64	0.44 0.68	0.40 0.68	0.17 0.00	0.08 0.00	0.22 0.00	0.13 0.00	0.13 0.00	0.13 0.00	0.44 0.70	0.17 0.00	0.40 0.69	0.17 0.00
		10	0.50 0.67	0.44 0.64	0.40 0.75	0.17 0.00	0.08 0.00	0.22 0.00	0.13 0.00	0.13 0.00	0.13 0.00	0.44 0.76	0.17 0.00	0.40 0.75	0.17 0.00
		11	0.50 0.67	0.44 0.68	0.40 0.74	0.17 0.00	0.08 0.00	0.22 0.00	0.13 0.00	0.13 0.00	0.13 0.00	0.44 0.72	0.17 0.00	0.40 0.71	0.17 0.00
		12	0.50 0.68	0.44 0.65	0.40 0.74	0.17 0.00	0.08 0.00	0.22 0.00	0.13 0.00	0.13 0.00	0.13 0.00	0.44 0.78	0.17 0.00	0.40 0.77	0.17 0.00
		13	0.50 0.69	0.44 0.68	0.40 0.76	0.17 0.00	0.08 0.00	0.22 0.00	0.13 0.00	0.13 0.00	0.13 0.00	0.44 0.76	0.17 0.00	0.40 0.71	0.17 0.00
		14	0.50 0.85	0.44 0.87	0.40 0.75	0.17 0.00	0.08 0.00	0.22 0.00	0.13 0.00	0.13 0.00	0.13 0.00	0.44 0.75	0.17 0.00	0.40 0.85	0.17 0.00
		15	0.50 0.72	0.44 0.68	0.40 0.72	0.17 0.00	0.08 0.00	0.22 0.00	0.13 0.00	0.13 0.00	0.13 0.00	0.44 0.75	0.17 0.00	0.40 0.74	0.17 0.00
		16	0.50 0.67	0.44 0.63	0.40 0.72	0.17 0.00	0.08 0.00	0.22 0.00	0.13 0.00	0.13 0.00	0.13 0.00	0.44 0.79	0.17 0.00	0.40 0.72	0.17 0.00
		17	0.50	0.44	0.40	0.17	0.08	0.22	0.13	0.13	0.13	0.44	0.17	0.40	0.17

# Urban Demand & Moisture Routing

- Urban water demands are user-specified time-series input data
- Outdoor urban applied water and precipitation are routed through the root zone using the governing conservation equation
- Urban indoor applied water and precipitation over non-pervious urban areas become entirely return flow and surface runoff



# Water Use Parameters

```

*****
C
C          WATER USE PARAMETERS
C
C The following lists the water use parameters for each subregion and the
C crop root zone depth for each crop type including urban (lawn) and
C native vegetation (skip if soil moisture is not routed,
C i.e. if there are no rain gages)
C
C IR      : Subregion number
C PERV    : Fraction of pervious area to total urban areas
C ICRUFAG : Fraction of the surface runoff from agricultural applied water
C           that is re-used - this number corresponds to the appropriate data
C           column in irrigation water re-use factor data file (Unit 29)
C ICRUFURB: Fraction of the surface runoff and return flow from urban areas
C           that is re-used - this number corresponds to the appropriate data
C           column in irrigation water re-use factor data file (Unit 29)
C IURIND  : Urban return flow specification
C           -2; Urban return flow goes out of model boundary
C           -1; Urban return flow goes into groundwater recharge
C           0; Urban return flow enters streams
C           nd; Urban return flow enters streams at stream node, nd
C
C-----
C IR      PERV    ICRUFAG  ICRUFURB  IURIND
C-----
1      .62      1         22         0
2      .62      2         22         0
3      .62      3         22         0
4      .62      4         22         0
5      .62      5         22         0
6      .62      6         22         0
7      .62      7         22         0
8      .62      8         22         0
9      .62      9         22         0
10     .62     10         22        -1
11     .62     11         22        -1
12     .62     12         22        -1
13     .62     13         22        -1
14     .62     14         22        -1
15     .62     15         22        -1
16     .62     16         22        -1
17     .62     17         22        -1
18     .62     18         22        -1
19     .62     19         22        -1
20     .62     20         22        -1
21     .62     21         22        -1
C-----

```




# C2VSim Urban Demands File

C-----																					
C ITDU	RDMUR(1)	RDMUR(2)	RDMUR(3)	...																	
C	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
C-----																					
10/31/1921_24:00	0.2	0.4	0.2	0.1	0.7	0.4	1.0	2.1	1.4	0.2	0.7	0.3	0.6	0.3	0.5	1.6	0.5	1.1	0.2	0.3	1.1
11/30/1921_24:00	0.2	0.3	0.1	0.1	0.5	0.3	0.4	1.6	0.7	0.1	0.4	0.2	0.4	0.1	0.3	1.2	0.3	0.8	0.1	0.2	0.7
12/31/1921_24:00	0.2	0.3	0.2	0.1	0.5	0.3	0.4	1.6	0.7	0.1	0.5	0.2	0.4	0.2	0.3	1.0	0.3	0.7	0.1	0.2	0.7
01/31/1922_24:00	0.2	0.3	0.2	0.1	0.5	0.3	0.4	1.6	0.7	0.1	0.5	0.2	0.4	0.2	0.3	1.0	0.3	0.7	0.1	0.2	0.7
02/28/1922_24:00	0.1	0.3	0.1	0.1	0.5	0.3	0.4	1.5	0.7	0.1	0.4	0.2	0.4	0.1	0.3	0.9	0.3	0.6	0.1	0.2	0.6
03/31/1922_24:00	0.2	0.4	0.2	0.1	0.5	0.3	0.4	1.7	1.0	0.1	0.5	0.2	0.4	0.2	0.3	1.1	0.3	0.8	0.1	0.2	0.8
04/30/1922_24:00	0.3	0.6	0.2	0.1	1.1	0.4	1.3	2.5	1.9	0.2	0.7	0.4	0.7	0.3	0.6	2.3	0.7	1.5	0.3	0.5	1.4
05/31/1922_24:00	0.3	0.6	0.3	0.1	1.1	0.4	1.6	2.6	2.0	0.2	0.9	0.4	0.8	0.4	0.7	2.5	0.7	1.6	0.3	0.5	1.6
06/30/1922_24:00	0.3	0.7	0.2	0.1	1.3	0.4	2.0	3.0	2.4	0.3	0.9	0.4	0.9	0.3	0.7	2.6	0.8	1.8	0.3	0.6	1.6
07/31/1922_24:00	0.4	0.8	0.4	0.1	1.3	0.5	2.2	3.1	2.7	0.3	1.0	0.4	0.9	0.5	0.8	2.7	0.8	1.8	0.3	0.6	1.8
08/31/1922_24:00	0.3	0.7	0.3	0.1	1.2	0.4	2.0	2.9	2.6	0.2	1.0	0.4	0.8	0.4	0.7	2.6	0.8	1.7	0.3	0.6	1.7
09/30/1922_24:00	0.3	0.6	0.2	0.1	1.1	0.4	1.7	2.6	2.0	0.2	0.7	0.4	0.7	0.3	0.6	2.2	0.6	1.5	0.2	0.5	1.3
10/31/1922_24:00	0.2	0.3	0.2	0.1	0.6	0.3	0.7	1.7	1.4	0.3	0.7	0.3	0.7	0.3	0.5	1.7	0.5	1.1	0.2	0.4	1.1
11/30/1922_24:00	0.2	0.3	0.1	0.1	0.5	0.3	0.4	1.6	0.7	0.1	0.5	0.2	0.4	0.2	0.3	1.2	0.3	0.8	0.1	0.2	0.8
12/31/1922_24:00	0.2	0.3	0.2	0.1	0.5	0.3	0.4	1.7	0.8	0.2	0.5	0.2	0.5	0.2	0.3	1.1	0.3	0.7	0.1	0.3	0.7
01/31/1923_24:00	0.2	0.3	0.2	0.1	0.5	0.3	0.4	1.7	0.8	0.2	0.5	0.2	0.5	0.2	0.3	1.1	0.3	0.7	0.1	0.3	0.7
02/28/1923_24:00	0.1	0.3	0.1	0.1	0.5	0.3	0.4	1.5	0.7	0.1	0.4	0.2	0.4	0.1	0.3	1.0	0.3	0.6	0.1	0.2	0.6
03/31/1923_24:00	0.2	0.5	0.3	0.2	0.8	0.4	1.0	1.8	1.7	0.3	0.8	0.3	0.7	0.3	0.6	2.0	0.6	1.3	0.2	0.5	1.3
04/30/1923_24:00	0.2	0.5	0.2	0.1	0.7	0.4	0.6	1.6	1.2	0.2	0.7	0.3	0.6	0.3	0.5	1.8	0.5	1.2	0.2	0.4	1.2
05/31/1923_24:00	0.3	0.7	0.3	0.1	1.1	0.4	1.8	1.8	2.2	0.4	1.0	0.4	1.0	0.4	0.7	2.7	0.8	1.7	0.3	0.7	1.7
06/30/1923_24:00	0.3	0.6	0.2	0.1	1.2	0.4	2.0	1.7	2.4	0.3	1.0	0.4	0.9	0.4	0.8	2.8	0.8	1.8	0.3	0.6	1.8
07/31/1923_24:00	0.4	0.8	0.4	0.1	1.3	0.5	2.2	1.9	2.9	0.4	1.1	0.5	1.0	0.5	0.8	2.9	0.8	1.9	0.3	0.7	1.8
08/31/1923_24:00	0.3	0.7	0.3	0.1	1.2	0.4	2.0	1.8	2.7	0.4	1.0	0.4	1.0	0.4	0.7	2.7	0.8	1.7	0.3	0.7	1.7
09/30/1923_24:00	0.2	0.5	0.2	0.1	0.9	0.4	1.4	1.7	1.8	0.2	0.8	0.3	0.7	0.4	0.6	2.2	0.6	1.4	0.2	0.5	1.4
10/31/1923_24:00	0.2	0.4	0.3	0.1	0.8	0.4	0.9	1.7	1.6	0.3	0.7	0.3	0.7	0.3	0.5	1.7	0.5	1.1	0.2	0.4	1.1
11/30/1923_24:00	0.2	0.3	0.1	0.1	0.5	0.3	0.5	1.7	0.8	0.2	0.6	0.2	0.6	0.2	0.4	1.3	0.4	0.9	0.1	0.3	0.9
12/31/1923_24:00	0.2	0.3	0.2	0.1	0.5	0.3	0.4	1.7	0.8	0.2	0.5	0.2	0.5	0.2	0.3	1.1	0.3	0.7	0.1	0.3	0.7
01/31/1924_24:00	0.2	0.3	0.2	0.1	0.5	0.3	0.4	1.7	0.8	0.2	0.5	0.2	0.5	0.2	0.3	1.1	0.3	0.7	0.1	0.3	0.7
02/29/1924_24:00	0.1	0.3	0.1	0.1	0.5	0.3	0.4	1.6	0.7	0.1	0.4	0.2	0.4	0.1	0.3	1.0	0.3	0.6	0.1	0.2	0.6
03/31/1924_24:00	0.2	0.3	0.2	0.1	0.5	0.3	0.6	1.7	1.4	0.3	0.7	0.3	0.7	0.3	0.4	1.7	0.5	1.1	0.2	0.4	1.1
04/30/1924_24:00	0.3	0.6	0.2	0.1	1.2	0.4	1.7	1.8	2.1	0.3	0.9	0.4	0.9	0.4	0.6	2.4	0.7	1.5	0.3	0.5	1.5
05/31/1924_24:00	0.3	0.7	0.3	0.1	1.3	0.4	1.9	1.8	2.2	0.4	1.0	0.4	1.0	0.4	0.7	2.7	0.8	1.8	0.3	0.7	1.7



# Automated Supply Adjustment

- Automatic adjustment of diversions and pumping to meet agricultural and urban water demands
- Diversion or pumping adjustment can be turned on or off during simulation period (represents evolution of water supply facilities over time)
- All supplies have equal priorities; handling of complex water rights is deferred to systems models like CalSim
- Useful in estimating historical pumping in Central Valley, and future diversions and pumping
- No supply adjustment for native and riparian vegetation





# Balance between Supply and Demand

- IWFM can route water supplies (diversions and pumping) as specified or automatically adjust supplies to meet demands (increase/decrease in diversions and/or pumping)
- When supplies are adjusted, they may still be less than demand if there is not enough water in the system
- When supply is less than demand, deep percolation, return flows, moisture content and ET diminish; when larger than demand deep percolation, return flow and moisture content increase



# IWFM Output

- Land and Water Use Budget
  - Agricultural supply and demand
  - Urban supply and demand
  - Surface water imports and exports
- Root Zone Moisture Budget
  - Agricultural, Urban, Native/Riparian sections
  - Land surface water balance for each
  - Root zone moisture balance for each



# Land and Water Use Budget

- Balance Water Supply and Demand
- Agricultural and Urban Sections
- Calculated for each Subregion
- Agricultural Supply Requirement = Potential CUAW/Irrigation Efficiency
- Urban Supply Requirement is input time series
- Supply Requirement = Pumping + Diversions + Shortage

# Land and Water Use Budget


IWFM (v3.02.0064)  
 LAND AND WATER USE BUDGET IN AC.FT. FOR SUBREGION 1 (DSA 58)  
 AREA: 328277.68 AC

Time	Agricultural Area				Diversion (-)	Shortage (=)	Re-use	Urban		
	Area (AC)	Potential CUAW	Agricultural Supply Requirement	Pumping (-)				Area (AC)	Urban Supply Requirement	Pumping (-)
10/31/1921_24:00	14659.1	4268.4	6147.5	0.0	7622.6	-1475.1	0.0	956.0	200.0	152.0
11/30/1921_24:00	14659.1	0.0	0.0	0.0	590.5	-590.5	0.0	956.0	200.0	157.0
12/31/1921_24:00	14659.1	0.0	0.0	0.0	0.0	0.0	0.0	956.0	200.0	151.0
01/31/1922_24:00	14659.1	0.0	0.0	0.0	0.0	0.0	0.0	956.0	200.0	156.0
02/28/1922_24:00	14659.1	0.0	0.0	0.0	0.0	0.0	0.0	956.0	100.0	61.0
03/31/1922_24:00	14659.1	0.0	0.0	0.0	0.0	0.0	0.0	956.0	200.0	155.0
04/30/1922_24:00	14659.1	5583.9	8047.8	691.0	7356.9	0.0	0.0	956.0	300.0	243.0
05/31/1922_24:00	14659.1	5393.8	7771.4	0.0	14457.6	-6686.2	0.0	956.0	300.0	205.0
06/30/1922_24:00	14659.1	6335.9	9127.2	0.0	18571.6	-9444.4	0.0	956.0	300.0	211.0
07/31/1922_24:00	14659.1	7867.6	11330.6	0.0	22662.8	-11332.2	0.0	956.0	400.0	257.0
08/31/1922_24:00	14659.1	7860.5	11315.3	0.0	22512.3	-11197.0	0.0	956.0	300.0	148.0
09/30/1922_24:00	14659.1	6062.5	8727.2	0.0	15636.8	-6909.7	0.0	956.0	300.0	300.0
10/31/1922_24:00	14659.1	0.0	0.0	0.0	7282.9	-7282.9	0.0	956.0	200.0	152.0
11/30/1922_24:00	14659.1	0.0	0.0	0.0	0.0	0.0	0.0	956.0	200.0	157.0
12/31/1922_24:00	14659.1	0.0	0.0	0.0	0.0	0.0	0.0	956.0	200.0	151.0
01/31/1923_24:00	14659.1	0.0	0.0	0.0	0.0	0.0	0.0	956.0	200.0	155.0
02/28/1923_24:00	14659.1	0.0	0.0	0.0	0.0	0.0	0.0	956.0	100.0	61.0
03/31/1923_24:00	14659.1	390.4	562.3	180.4	381.9	0.0	0.0	956.0	200.0	154.0
04/30/1923_24:00	14659.1	4187.8	6035.6	0.0	6145.1	-109.5	0.0	956.0	200.0	143.0
05/31/1923_24:00	14659.1	6426.7	9259.5	0.0	14960.1	-5700.6	0.0	956.0	300.0	205.0
06/30/1923_24:00	14659.1	5501.4	7925.1	0.0	18196.8	-10271.7	0.0	956.0	300.0	210.0
07/31/1923_24:00	14659.1	7867.5	11330.5	0.0	22659.3	-11328.8	0.0	956.0	400.0	257.0
08/31/1923_24:00	14659.1	7684.7	11062.2	0.0	22485.0	-11422.9	0.0	956.0	300.0	147.0
09/30/1923_24:00	14659.1	3012.2	4336.2	0.0	14665.3	-10329.1	0.0	956.0	200.0	200.0
10/31/1923_24:00	14659.1	526.6	758.5	205.0	553.5	0.0	0.0	956.0	200.0	152.0
11/30/1923_24:00	14659.1	857.5	1242.8	779.9	462.9	0.0	0.0	956.0	200.0	157.0
12/31/1923_24:00	14659.1	0.0	0.0	0.0	0.0	0.0	0.0	956.0	200.0	151.0
01/31/1924_24:00	14659.1	0.0	0.0	0.0	0.0	0.0	0.0	956.0	200.0	155.0


# Land and Water Use Budget

	Column	Flow	08/31/2004	Source
Agricultural	Area (AC)		6,604,404	
	Potential CUAW		2,586,635	
	Supply Requirement	OUT	3,294,699	
	Pumping	IN	1,601,200	GW
	Diversion	IN	1,693,677	SW
	Shortage	(IN)	-177	
	Re-use		67,228	
Urban	Area (AC)		1,147,412	
	Supply Requirement	OUT	249,902	
	Pumping	IN	162,716	GW
	Diversion	IN	91,371	SW
	Shortage	(IN)	-4,185	
	Re-use		0	
	Import		949,507	
	Export		369,919	

# Land Use Change






# Land Use Change



Sacramento Basin Land Use


San Joaquin Basin Land Use

Tulare Basin Land Use







# Subregion Land Use




# Crop Acreage




# Sources and Sinks




# Sources and Sinks




# Agricultural Budget



■ Precipitation   
 ■ Surface Water   
 ■ Groundwater   
 ■ Deep Percolation  
■ Runoff   
 ■ Return Flow   
 ■ Evapotranspiration





Average




Note: Flow rates near zero may not appear on these figures.

# Urban Budget




Average




Note: Flow rates near zero may not appear on these figures.


# Native & Riparian Budget



■ Precipitation  
 ■ Surface Water  
 ■ Groundwater  
 ■ Deep Percolation  
■ Runoff  
 ■ Return Flow  
 ■ Evapotranspiration




Average




Note: Flow rates near zero may not appear on these figures.

# Ag and Urban Water Use





# Agricultural Water Sources





# Root Zone Moisture Budget

- Agricultural, Urban and Native/Riparian
- Water Sources and Root Zone sections
- Printed for each Subregion
- Water sources:
  - All have precipitation
  - Agricultural and Urban have applied water
- Root zone
  - Soil moisture storage +/- land expansion
  - Beginning storage + infiltration – ET – deep percolation = ending storage

# Root Zone Moisture Budget

Time	Area (AC)	Precipitation	Runoff	Prime Applied Water	Agricultural Area				
					Reused Water	Total Applied Water	Return Flow	Beginning Storage	Net Gain from Land Expansion (+)
10/31/1921_24:00	14659.1	1501.4	0.0	7622.6	0.0	7622.6	0.0	3874.9	0
11/30/1921_24:00	14659.1	4047.2	812.8	590.5	0.0	590.5	0.0	8928.7	0
12/31/1921_24:00	14659.1	8849.5	5418.6	0.0	0.0	0.0	0.0	10786.7	0
01/31/1922_24:00	14659.1	1559.6	344.6	0.0	0.0	0.0	0.0	11243.6	0
02/28/1922_24:00	14659.1	7649.5	4662.9	0.0	0.0	0.0	0.0	11060.1	0
03/31/1922_24:00	14659.1	4339.9	1768.4	0.0	0.0	0.0	0.0	10891.2	0
04/30/1922_24:00	14659.1	1048.7	0.2	8047.8	0.0	8047.8	13.6	9773.5	0
05/31/1922_24:00	14659.1	2479.8	889.4	14457.6	0.0	14457.6	74.5	11290.5	0
06/30/1922_24:00	14659.1	750.3	109.2	18571.6	0.0	18571.6	91.9	11290.5	0
07/31/1922_24:00	14659.1	0.0	0.0	22662.8	0.0	22662.8	115.1	11290.5	0
08/31/1922_24:00	14659.1	0.0	0.0	22512.3	0.0	22512.3	127.3	11290.5	0
09/30/1922_24:00	14659.1	0.0	0.0	15636.8	0.0	15636.8	82.4	11290.5	0
10/31/1922_24:00	14659.1	3767.4	1743.9	7282.9	0.0	7282.9	43.3	11290.5	-33
11/30/1922_24:00	14659.1	3833.4	1816.4	0.0	0.0	0.0	0.0	11291.2	0
12/31/1922_24:00	14659.1	9085.7	5689.6	0.0	0.0	0.0	0.0	10858.8	0
01/31/1923_24:00	14659.1	4479.6	2256.6	0.0	0.0	0.0	0.0	11252.9	0
02/28/1923_24:00	14659.1	1279.6	149.4	0.0	0.0	0.0	0.0	11107.1	0
03/31/1923_24:00	14659.1	759.2	0.6	562.3	0.0	562.3	0.0	10026.3	0
04/30/1923_24:00	14659.1	6309.5	1589.5	6145.1	0.0	6145.1	22.5	7658.1	0
05/31/1923_24:00	14659.1	762.7	111.9	14960.1	0.0	14960.1	78.2	11291.2	0
06/30/1923_24:00	14659.1	2113.6	672.4	18196.8	0.0	18196.8	94.9	11291.2	0
07/31/1923_24:00	14659.1	0.0	0.0	22659.3	0.0	22659.3	119.2	11291.2	0
08/31/1923_24:00	14659.1	175.8	2.5	22485.0	0.0	22485.0	133.1	11291.2	0
09/30/1923_24:00	14659.1	3301.5	1431.3	14665.3	0.0	14665.3	86.0	11291.2	0
10/31/1923_24:00	14659.1	1834.9	511.0	758.5	0.0	758.5	0.0	11291.2	-30
11/30/1923_24:00	14659.1	845.3	0.0	1242.8	0.0	1242.8	0.0	9272.6	0
12/31/1923_24:00	14659.1	2172.6	144.9	0.0	0.0	0.0	0.0	9393.9	0
01/31/1924_24:00	14659.1	3571.3	920.6	0.0	0.0	0.0	0.0	10187.8	0

# Root Zone Moisture Budget

	Column	Flow	08/31/2004	Process
Agricultural	Area (AC)		6,604,404	
	Precipitation	IN	92	
	Runoff	OUT	0	SW
	Prime Applied Water		3,294,876	
	Reused Water		67,228	
	Total Applied Water	IN	3,362,104	GW/SW
	Return Flow	OUT	99,094	SW
	Beginning Storage		4,100,673	
	Net Gain from Land Expansion (+)	+/-	0	
	Infiltration (+)	IN	3,195,874	
	Actual ET (-)	OUT	3,051,486	
	Deep Percolation (-)	OUT	166,381	GW
	Ending Storage (=)		4,078,680	


# Root Zone Moisture Budget

	Column	Flow	08/31/2004	Process
Urban	Area (AC)		1,147,412	
	Precipitation	IN	208	
	Runoff	OUT	79	SW
	Prime Applied Water		254,086	
	Reused Water		0	
	Total Applied Water	IN	254,086	GW/SW
	Return Flow	OUT	46,801	SW
	Beginning Storage		0	
	Net Gain from Land Expansion (+)	+/-	0	
	Infiltration (+)		207,414	
	Actual ET (-)		152,581	
	Deep Percolation (-)		54,833	GW
	Ending Storage (=)		0	


# Root Zone Moisture Budget

	Column	Flow	08/31/2004	Process
Native & Riparian Veg	Area (AC)		4,947,899	
	Precipitation	IN	1,249	
	Runoff	OUT	0	SW
	Beginning Storage		0	
	Net Gain from Land Expansion (+)	+/-	0	
	Infiltration (+)		1,249	
	Actual ET (-)		1,249	
	Deep Percolation (-)		0	GW
	Ending Storage (=)		0	

# Annual Evapotranspiration




# Regional ET Distribution






# Regional ET Distribution

2000-2009




- Sacramento Valley
- Eastside Sterams
- Sacramento-San Joaquin Delta
- San Joaquin River Basin
- Tulare Basin

# Monthly Evapotranspiration



# Deep Percolation by Land Use





# Summary

- IWFM Land and Water Use Process
  - Known inflows: Surface Water Diversions
  - Estimated outflows: Evapotranspiration
  - Calculated inflows: Groundwater Pumping
- Constrained by water balance between inter-process flows

End

